



Hyus  ra | VIARO | ALVARO


600x1200mm Exclusive Collection

SURFACE INTRODUCTION

SICURA

SURFACE

The Sicura surface sets a new standard for safety and durability. Its advanced properties offer exceptional slip resistance, ensuring peace of mind in wet or moderate-traffic areas. The protective layers safeguard the tile's beauty, making it resistant to scratches, stains, and everyday wear and tear.



- The top layer of the surface is scratch-resistant, has almost zero reflection & has a hardness rating of 8 on the Mohs scale.
- The glaze of the surface lends it unparalleled aesthetics for versatile choice for various applications.
- The tile body is made extremely durable with the finest raw materials & diligent processes involved in making.

GRITECH

Gritech is An advanced Micro Grits Surface Technology, setting new standards for matt surfaces. This innovative technology ensures a True Matt Finish with exceptional clarity and depth, while delivering ultra durability. The precision of Gritech enhances the surface's performance, making it ideal for both aesthetic appeal and long-lasting strength.




WATER RESISTANT

It prevents the absorption of liquids and the accumulation of odours thanks to its low porosity.

SCRATCH AND IMPACT RESISTANT

High tolerance to energy from impacts and cutting tools used on the surface.




HYGIENIC

Low emission of volatile organic compounds, allowing direct contact with foodstuffs.

UV RESISTANT

Unalterable by ultraviolet rays, it remains stable against wear and tear due to strong illumination.





ABRASION RESISTANT

High durability and good resistance to wear and tear and scratches from daily use.

STAIN PROTECTION

Hydro and oil repellent antibacterial waterproofing that improves resistance against humidity chemical agents and stains.




FIRE RESISTANT

Fireproof and non-combustible, it maintains its aspect and performance when exposed to high temperatures.

EASY TO CLEAN

The use of specific products is unnecessary thanks to the zero-effort care of the material.




FROST RESISTANT

Stable to sudden temperature changes, it withstands extreme cold conditions.

APPLICATION AREAS



Residential
(Living Room, Bedroom, Kitchen)



Indoor Area



Commercial Spaces



Bathroom



Mall Flooring



Offices



Balcony



School & University

Introducing HYUSORA Collection

Let Hyusora be the visual echo of
YOUR INNER WORLD

Inspired from Hues and Aura each Hyusora shade possesses an unseen yet profound presence, transforming any space into a sanctuary of soft light and emotional resonance. It cultivates an atmosphere of calm, wonder, and quiet connection, inviting you to **experience feelings** that are deeply felt even if they aren't always visible

Size: **600x1200mm**
Surface: **Sicura | Texture** (Sicura)

No. of Shades	No. of Textures	No. of Sku's	No. of Surface
12	02	24	02

Designed Exclusive for
'GRESTEK' Segment



HyusOra
COLLECTION

Hyusora Sicura

Where Emotion Meets Precision

When elevated by digital print, the surface became an expressive canvas where each hue seamlessly interacted with the embedded pigments beneath. This subtle interplay between internal coloration and printed detail gave rise to a visual harmony marked by smooth transitions, enriched depth, and an enduring glow that felt both modern and timeless. Under the visionary umbrella of Hyusora, Sicura transcended the idea of a mere surface finish. It evoked an emotion a quiet assurance, a composed elegance, a beauty securely rooted from within.

Welcome to the Hyusora collection. Where Sicura isn't just a surface **it's a pigment-deep promise**, defined by precision and resonant with emotion.



HYUSORA BLISS

HYUSORA GLOW

HYUSORA HUSH

HYUSORA LUSH

HYUSORA DRIFT

HYUSORA EASE

HYUSORA CALM

HYUSORA SERENITY

HYUSORA MUSE


HYUSORA HOPE

HYUSORA CHARM

HYUSORA WHIMSY

Trivibe Texture

The Geometry of Emotion



When light touched Trivibe, it danced. Shadows shifted, and depth came alive. It created a feeling of energy, motion, and balance three elements that defined its essence. Architects called it kinetic calm. Designers saw it as structured boldness. Spaces transformed under its influence. A texture with three points of impact form, function, and feeling.

Linoir Texture

The Art of Linear Mystery



Linoir is the art of linear mystery a texture where structured lines meet shadowed depth, creating a refined calm and quiet strength. Inspired by flowing rhythms and dark-toned elegance, Linoir reveals more than texture; it reveals mood a serene depth, a sophisticated tone, a quiet intensity that shifts with the light. Bold yet subtle, it brings a modern classic presence that transforms spaces into atmospheres.



Linoir

Texture



Bliss

Charm

Glow

Hush

Lush


Whimsy

Linoir reveals more than texture; it reveals mood a serene depth, a sophisticated tone, a quiet intensity that shifts with the light. Bold yet subtle, it brings a modern classic presence that transforms spaces into atmospheres.



Hyusora Charm
Hyusora Bliss

Random-12



Hyusora Bliss
Linoir Texture



Hyusora Charm
Linoir Texture



Hyusora Glow
Linoir Texture

Random-12



Hyusora Bliss



Hyusora Charm




Hyusora Glow





Hyusora Whimsy

Random-12



Hyusora Hush
Linoir Texture



Hyusora Lush
Linoir Texture



Hyusora Whimsy
Linoir Texture

Random-12



Hyusora Hush
Linoir Texture



Hyusora Lush
Linoir Texture



Hyusora Whimsy
Linoir Texture





Trivibe Texture



Calm

Drift

Ease

Hope

Muse


Serenity

Trivibe is a dynamic texture where triangular geometry meets expressive design, creating a sense of energy, motion, and balance. When light touches its surface, it dances shadows shift, depth awakens, and space transforms. Architects call it kinetic calm; designers, structured boldness. With three points of impact form, function, and feeling Trivibe becomes more than a texture; it's the geometry of emotion.



Hyusora Ease


Random-12



Hyusora Calm
Trivibe Texture




Hyusora Drift
Trivibe Texture



Hyusora Ease
Trivibe Texture

Random-12



Hyusora Calm



Hyusora Drift



Hyusora Ease






Hyusora Hope

Random-12



Hyusora Hope Trivibe Texture



Hyusora Muse Trivibe Texture



Hyusora Serenity Trivibe Texture


Random-12



Hyusora Hope



Hyusora Muse



Hyusora Serenity



HyusOra
COLLECTION

FRESCO
RIZON
COLLECTION

SERIES

● HYUSORA

● RUG

● MOROCCAN

A bold collaboration: Fresco Rizon, a 200x200mm exclusive design crafted not just to complete the collection, but to elevate it. Compact yet commanding, it offered a level of detail and character that redefined accent design. More than a tile, it was a tool of freedom allowing architects and designers to break patterns, define zones, or create seamless stories within larger compositions. Whether used as a quiet contrast or a bold highlight, Fresco Rizon became the brush stroke that completed Hyusora's canvas. Together, they offered not just a surface, but a new dimension of creativity.

Size : 200x200mm


Surface : Matt

Effects : MT Granules | GL Granules | Carving







Hyusora Drift




Hyusora Bliss




Hyusora Calm




Hyusora Drift



Hyusora Glow



Hyusora Hush




Hyusora Ease






Hyusora Hope
 Hyusora Lush




Hyusora Lush




Hyusora Hope




Hyusora Whimsy



Hyusora Muse



Hyusora Serenity




Hyusora Charm






African Myst




African Ivor
 (Glossy Granules)



Sphere Classic
 (Glossy Granules)




African Sage
 (Glossy Granules)



Sphere Heritage
 (Glossy Granules)




African Myst
 (Glossy Granules)





Sphere Morden
 (Glossy Granules)







Caliph Pearl (Carving)






Caliph Gem (Carving)





Royal Area



Royal Area
Hysora Drift

Introducing **VIARO** Collection

Companion on the journey of
ARCHITECTURAL EXPRESSION

The Viaro Collection, inspired by the concept of a design journey, blends safety, elegance, and character through three distinct surface options: Sicura for secure grip in high-use areas, Polished for a luxurious sheen, and Textured for natural depth and tactile richness. Whether you're designing for comfort, statement, or sophistication, Viaro is the companion on the journey of architectural expression.


Size: **600x1200mm**

Surface: **Sicura | Glossy | Texture** (Sicura)

No. of Designs	No. of Shades	No. of Surface	No. of Texture	No. of Sku's
06	24	03	02	72

Designed Exclusive for
'GRESTEK' Segment

VIARO
COLLECTION



Trinity Texture

Where Stone Meets Structure,
and Geometry Finds Grace.



In the world of surface design, Trinity Texture emerged as a harmonious convergence of marble elegance, geometric precision, and engraved artistry. It wasn't just a texture it was a sculpted experience. Carved with intention and crafted with depth, Trinity brought together three core elements: the natural beauty of marble, the rhythm of repeating geometry, and the tactile intrigue of fine engraving. The result was a surface that felt both timeless and contemporary, minimal yet intricate.

Kitkat Texture


Slim. Structured. Striking



Inspired by rhythm, repetition, and raw materiality, Kitkat Texture brings a bold geometric identity to stone surfaces. With its narrow, linear engravings precise and purposeful it channels the aesthetics of modern minimalism while celebrating the depth of natural stone. Each line is a statement, each groove a deliberate mark. The texture offers a play of light and shadow that shifts throughout the day, bringing walls to life with movement and subtle contrast.



Kitkat Texture



Basalt

Fossil

Lime

Slate

Cento Series

CENTO
Cento is a stone design rooted in geological depth and refined texture. Its surface reflects the quiet strength of nature, expressed through deep, organic tones Basalt, Fossil, Lime, and Slate. With a silent presence and earthy elegance, Cento brings timeless solidity to contemporary spaces.



Random-08



Cento Basalt
 Kitkat Texture



Cento Fossil
 Kitkat Texture



Cento Lime
 Kitkat Texture



Cento Slate
 Kitkat Texture

Random-08



- Cento Basalt Sicura
- Cento Basalt Glossy



- Cento Fossil Sicura
- Cento Fossil Glossy



- Cento Lime Sicura
- Cento Lime Glossy



- Cento Slate Sicura
- Cento Slate Glossy





Kitkat Texture



Bianco

Grigio

Mud

Sand

Coralith Series

CORALITH
Where the intricate beauty of coral formations merges with the timeless strength of lithic textures. Echoing the porous, sculpted patterns of coral fossils frozen in time. Flowing natural pits and layered textures evoke the slow artistry of nature, shaped over centuries. Shades of Bianco, Grigio, Mud, and Sand speaks in quiet, grounded tones, offering a raw, tactile elegance that feels both ancient and modern.



Coralith Grigio

Random-08



Coralith Bianco
 Kitkat Texture



Coralith Grigio
 Kitkat Texture




Coralith Mud
 Kitkat Texture




Coralith Sand
 Kitkat Texture

Random-08



- Coralith Bianco Sicura
- Coralith Bianco Glossy



- Coralith Grigio Sicura
- Coralith Grigio Glossy



- Coralith Mud Sicura
- Coralith Mud Glossy



- Coralith Sand Sicura
- Coralith Sand Glossy





Kitkat Texture



Grass

Mud

Sand

Stone

Ermano Series

ERMANO
Rooted in the refined luxury of Armani marble, Ermano reimagines timeless sophistication through a palette drawn from nature, the subtle veins and silky flow of classic marble, but with an earthy character that feels calm, warm, and effortlessly modern. The quiet strength of stone, the richness of mud, the softness of sand, and the freshness of grass.



Ermano Grass

Random-08



Ermano Grass
 Kitkit Texture



Ermano Mud
 Kitkit Texture




Ermano Sand
 Kitkit Texture



Ermano Stone
 Kitkit Texture

Random-08



- Ermano Grass Sicura
- Ermano Grass Glossy



- Ermano Mud Sicura
- Ermano Mud Glossy



- Ermano Sand Sicura
- Ermano Sand Glossy



- Ermano Stone Sicura
- Ermano Stone Glossy





Trinity Texture



Flame

Natural

Sky

Sun


Flosilk Series

FLOSILK
The Silken Flow of Light and Nature is a fluid aesthetic, Flosilk is where softness meets movement as if brushed by wind and lit by sky. Inspired by the gentle rhythm of flowing fabric, Flosilk comes alive in radiant tones: Flame, Natural, Sky, Sun, a golden touch of light and warmth. Light as air Smooth as silk.




Fosilk Natural

Random-04



Flosilk Flame
Trinity Texture



Flosilk Natural
Trinity Texture




Flosilk Sky
Trinity Texture




Flosilk Sun
Trinity Texture

Random-04




- Flosilk Flame Sicura
- Flosilk Flame Glossy



- Flosilk Natural Sicura
- Flosilk Natural Glossy



- Flosilk Sky Sicura
- Flosilk Sky Glossy



- Flosilk Sun Sicura
- Flosilk Sun Glossy





Trinity Texture



Moss

Rock

Sand

Snow

Galyte Series

GALYTE
Grace of Ground and Time Draws from the raw beauty of earth and time, with a textured stone aesthetic that feels grounded and elemental. Offered in Moss, Rock, Sand, and Snow shades, it captures the essence of untouched landscapes from lush greens to weathered greys and soft neutrals bringing a natural, timeless presence to any space.




Galyte Sand


Random-08



Galyte Moss
 Trinity Texture



Galyte Rock
 Trinity Texture




Galyte Sand
 Trinity Texture




Galyte Snow
 Trinity Texture


Random-08



- Galyte Moss Sicura
- Galyte Moss Glossy



- Galyte Rock Sicura
- Galyte Rock Glossy



- Galyte Sand Sicura
- Galyte Sand Glossy




- Galyte Snow Sicura
- Galyte Snow Glossy





Trinity Texture



Coin

Peach

Smok

Sun

Onika Series

ONIKA

Onika is a refined onyx design that radiates translucent elegance and soft luxury. With flowing layers and luminous depth, it comes in four graceful shades Coin, Peach, Smok, and Sun. Each capturing a different mood of light and warmth. Onika brings a serene, glowing sophistication to any space.



Onika Smok

Random-04



Onika Coin
 Trinity Texture



Onika Peach
 Trinity Texture




Onika Smok
 Trinity Texture




Onika Sun
 Trinity Texture

Random-04



- Onika Coin Sicura
- Onika Coin Glossy



- Onika Peach Sicura
- Onika Peach Glossy



- Onika Smok Sicura
- Onika Smok Glossy



- Onika Sun Sicura
- Onika Sun Glossy



ALVARO

COLLECTION

A NEW DIMENSION OF LUXURY LIVING.

Inspired by the courageous spirit of the warrior, the Alvaro collection embodies strength, resilience, and a touch of modern elegance. This popular 600x1200mm format is versatile enough to elevate any space, from sleek residential interiors to bustling commercial establishments. Crafted with cutting-edge technology, the Sicura surface sets a new standard for safety and durability. The Alvaro collection, a combination of strength, innovation, and enduring style, is a truly remarkable addition to any environment.

Size: **600x1200mm**

Surface: **Sicura | Texture (Sicura)**


No. of Designs	No. of Shades	No. of Textures	No. of Sku's	No. of Surface
20	76	04	152	02

Designed Exclusive for
'GRESTEK' Segment





Carven Texture



Blanc

Silver

Cloud

Concord

Basalte Series

The Basalte Series is inspired by the timeless elegance of basalt stone. It features four stunning color variations, including three cool shades and a warm accent, offering a sophisticated and versatile palette. Experience the beauty and durability of the Basalte Series.



Basalte Concord

Random-04



Basalte Blanc
 Carven Texture



Basalte Silver
 Carven Texture



Basalte Cloud
 Carven Texture



Basalte Concord
 Carven Texture

Random-04




Basalte Blanc



Basalte Silver



Basalte Cloud



Basalte Concord





Carven Texture



Ash

Oak

Chest

Pine

Forest Series

Forest is a collection inspired by the beauty of natural wood. Featuring four distinct shades: Ash, Oak, Chestnut, and Pine, this series brings the tranquility of the outdoors inside. Forest blends seamlessly with any décor style, creating a cozy and inviting atmosphere that mimics the comforting embrace of nature.



Forest Chest

Random-04



Forest Ash
 Carven Texture



Forest Oak
 Carven Texture



Forest Chest
 Carven Texture



Forest Pine
 Carven Texture

Random-04



Forest Ash



Forest Oak



Forest Chest



Forest Pine





Carven Texture



Verde

Pearl

Beige

Barley

Terrafoss Series

Terrafoss is a captivating fusion of two precious stones: terracotta and fossil. This unique material seamlessly blends the warm, earthy shades of terracotta with the distinctive textures and character of fossilized elements. The result is a stunning surface that exudes natural beauty and elegance.



Random-04



Terrafoss Verde
Carven Texture



Terrafoss Pearl
Carven Texture



Terrafoss Beige
Carven Texture



Terrafoss Barley
Carven Texture

Random-04



Terrafoss Verde



Terrafoss Pearl



Terrafoss Beige



Terrafoss Barley



Terrafoss Barley



Carven Texture



Pine

Bone

Graphite

Henna

Coterro Series

Coterro series inspired by the natural beauty of terracotta. It draws inspiration from the earthy color palette and unique textures of traditional cotta stone, offering a contemporary interpretation of this timeless material. Coterro seamlessly blends modern aesthetics with natural warmth.



Coterro Bone


Random-04



Coterro Pine
 Carven Texture



Coterro Bone
 Carven Texture



Coterro Graphite
 Carven Texture



Coterro Henna
 Carven Texture

Random-04



Coterro Pine



Coterro Bone



Coterro Graphite



Coterro Henna





Carven Texture



Sand

Coco

Slate

Silver

Dineo
 Series

Dineo series inspired by the classic elegance of dyna marble. A versatile palette of four stunning colors, featuring two warm and two cool shades to suit a variety of design themes. Whether you're aiming for a timeless or contemporary look, Dineo provides a balance of sophistication and versatility.




Dineo Coco

Random-04



Dineo Sand
 Carven Texture



Dineo Coco
 Carven Texture



Dineo Slate
 Carven Texture




Dineo Silver
 Carven Texture

Random-04



Dineo Sand



Dineo Coco



Dineo Slate



Dineo Silver





Wavy Texture



Fern

Silk

Calcutta Series

The Calcutta Series offers a blend of natural inspiration with two distinctive varieties. The Fern variety evokes the delicate beauty of foliage, while the Silk variety captures the bright and vibrant character of this precious stone. It brings the elegance of nature indoors, offering a range of design possibilities for any space.




Calcutta Silk

Random-06




Calcutta Fern
Wavy Texture




Calcutta Silk
Wavy Texture

Random-06



Calcutta Fern



Calcutta Silk





Wavy Texture



Pearl

Beige

Cream

Soya

Traven Series

Traven series inspired by the elegant beauty of travertine marble. This series features four exquisite shades: Pearl, Beige, Cream, and Soya, offering a warm palette to suit various design styles. Traven brings the natural elegance of travertine indoors, adding a touch of warmth to any space.



Traven Beige

Random-08



Traven Pearl
 Wavy Texture



Traven Beige
 Wavy Texture



Traven Cream
 Wavy Texture



Traven Soya
 Wavy Texture

Random-08



Traven Pearl



Traven Beige



Traven Cream



Traven Soya





Wavy Texture



Oyster

Trunk

Silver

Gris

Torrent Series

Torrent series inspired by the dynamic energy of thunder waves, artistically rendered on a stunning stone design. Oyster, Trunk, Silver, and Gris are shades evoking the power and beauty of a stormy sky, adding a dramatic and contemporary touch, making it a statement piece for discerning homeowners and designers.



Torrent Oyster

Random-04




Torrent Oyster
 Wavy Texture



Torrent Trunk
 Wavy Texture




Torrent Silver
 Wavy Texture



Torrent Gris
 Wavy Texture

Random-04



Torrent Oyster



Torrent Trunk



Torrent Silver




Torrent Gris





Wavy Texture



Dove

Grey

Tan

Crema

Lapis Series

Lapis series inspired by the luxurious beauty of precious gemstones. A diverse palette of colors, including cool, warm, and neutral shades, evoking the depth and brilliance of natural stones. Making it a superior choice for discerning architects and designers.




Lapis Grey

Random-06



Lapis Dove
 Wavy Texture



Lapis Grey
 Wavy Texture




Lapis Tan
 Wavy Texture




Lapis Crema
 Wavy Texture

Random-06




Lapis Dove



Lapis Grey



Lapis Tan



Lapis Crema






Wavy Texture




Snow



Smoke



Teal



Grigio


Deorite Series

Deorite design is inspired by the majestic beauty of igneous rock formed deep within the Earth. This series showcases a range of intriguing shades, including Snow, Smoke, Teal, and Grigio, each offering a unique visual impact. The distinctive shades of Deorite are sure to captivate architects and designers, making it a standout choice for creating exceptional




Deorite Snow


Random-04



Deorite Snow
 Wavy Texture



Deorite Smoke
 Wavy Texture




Deorite Teal
 Wavy Texture



Deorite Grigio
 Wavy Texture


Random-04




Deorite Snow



Deorite Smoke



Deorite Teal



Deorite Grigio





Roof Texture



Bianco

Dove

Pearl

Ash

Silicate Series

Silicate series inspired by the very foundation of our planet, drawing inspiration from the silicate minerals that form the Earth's crust and mantle. This series features a range of natural shades: Bianco, Dove, Pearl, and Ash, allowing us to create spaces that reflect the beauty and tranquility of the Earth.




Silicate Ash


Random-04



Silicate Bianco
Roof Texture



Silicate Dove
Roof Texture




Silicate Pearl
Roof Texture



Silicate Ash
Roof Texture

Random-04



Silicate Bianco



Silicate Dove



Silicate Pearl



Silicate Ash





Roof Texture



Ivory

Mud

Pearl

Beige

Bone Series

Bone series inspired by the unique texture and appearance of natural bone. A range of intriguing colors, including Ivory, Mud, Beige, and Pearl, allowing us to play with depth and create stunning visual effects. It adds a touch of organic elegance, making it an ideal choice for those seeking a distinctive and sophisticated aesthetic.



Bone Ivory

Random-04



Bone Ivory
 Roof Texture



Bone Mud
 Roof Texture




Bone Pearl
 Roof Texture



Bone Beige
 Roof Texture


Random-04



Bone Ivory



Bone Mud



Bone Pearl



Bone Beige





Roof Texture



Sand

Almond

Hurricane

Cinereous

Konkret Series

Konkrete is a sophisticated design inspired by the distinctive aesthetic of German concrete design. Available in Sand, Almond, Hurricane, and Cinereous shades, Konkrete offers a modern and minimalist look that exudes understated elegance. It creates contemporary spaces that are both stylish and functional.




Konkret Almond

Random-04



Konkret Sand
Roof Texture



Konkret Almond
Roof Texture



Konkret Hurricane
Roof Texture



Konkret Cinereous
Roof Texture

Random-04



Konkret Sand



Konkret Almond



Konkret Hurricane



Konkret Cinereous





Roof Texture



Peanut

Hazel

Cashew

Almond

Pietrazzo Series

Pietrazzo is a unique fusion of Pietra and Terrazzo stones, combining the elegance of Pietra with the dynamic character of Terrazzo. It features a color palette inspired by dry fruits - Peanut, Hazel, Cashew, and Almond - creating a harmonious blend of warm and cool tones. This is a modern interpretation of classic stone.



Pietrazo Cashew
Pietrazo Almond

Random-04



Pietrazo Peanut
Roof Texture



Pietrazo Hazel
Roof Texture




Pietrazo Cashew
Roof Texture




Pietrazo Almond
Roof Texture


Random-04




Pietrazo Peanut



Pietrazo Hazel




Pietrazo Cashew



Pietrazo Almond





Roof Texture



Olive

Pearl

Coco

Almond

Sansto Series

Sansto series inspired by the natural beauty of sandstone. A range of earthy shades, including Olive, Pearl, Coco, and Almond, that evoke the warmth and texture of genuine sandstone. The natural look and feel of Sansto make it an ideal choice for architects and designers.



Sansto Pearl

Random-04



Sansto Olive
Roof Texture



Sansto Pearl
Roof Texture



Sansto coco
Roof Texture



Sansto Almond
Roof Texture

Random-04



Sansto Olive



Sansto Pearl



Sansto coco




Sansto Almond





Verline Texture



Eve

Morrow

Carrara Series

Carrara is a stunning design inspired by the timeless beauty of Carrara marble. This series features two color variations: Eve, evoking the warm glow of an evening sky with its golden hues, and Morrow, capturing the cool, bright light of dawn. Carrara enhances any space with its timeless beauty.



Random-04




Carrara Eve
Verline Texture



Carrara Morrow
Verline Texture

Random-04



Carrara Eve



Carrara Morrow



Carrara Morrow



Verline Texture



Grey

Cement

Desert

Beach

Gritoss Series

Gritoss is a design that blends the natural grit of stone with the unique character of fossil stone. Inspired by the textures and colors found in nature, Gritoss offers a range of earthy tones, including Grey, Cement, Desert, and Beach, suitable for any space, creating a harmonious and inviting atmosphere.



Gritoss Desert

Random-04



Gritoss Grey
Verline Texture



Gritoss Cement
Verline Texture



Gritoss Desert
Verline Texture



Gritoss Beach
Verline Texture

Random-04



Gritoss Grey



Gritoss Cement



Gritoss Desert



Gritoss Beach





Verline Texture



Barley

Peach

Pearl

Slate

Cementa Series

Cementa is a modern design inspired by the sleek and contemporary aesthetic of concrete. With its shades Barley, Peach, Pearl, and Slate, Cementa offers a refined and minimalist look that exudes a sense of progressive style. Creating spaces that are stylish and functional, reflecting a contemporary and forward thinking design sensibility.



Cementa Slate

Random-04



Cementa Barly
 Verline Texture



Cementa Peach
 Verline Texture



Cementa Pearl
 Verline Texture



Cementa Slate
 Verline Texture


Random-04



Cementa Barly



Cementa Peach



Cementa Pearl



Cementa Slate





Verline Texture



Myst

Fossil

Silver

Dove

Armestone Series

Armestone inspired by the elegant aesthetic of Armani stone. This series features a balanced palette of luxurious colors, including Mysrt, Fossil, Silver, and Dove, offering a versatile look that can be seamlessly integrated into a variety of spaces.



Random-04



Armestone Myst
 Verline Texture



Armestone Fossil
 Verline Texture




Armestone Silver
 Verline Texture



Armestone Dove
 Verline Texture

Random-04



Armestone Myst



Armestone Fossil



Armestone Silver




Armestone Dove





Verline Texture



Deer

Beige

Crust

Sand

Oro Series

Oro, inspired by the opulent beauty of gold, exudes a rich and luxurious aesthetic. This series captures the essence of this precious metal with its crisp and refined look. Oro's unique design characteristics give a sense of Royal Atmosphere.



Oro Sand

Random-04



Oro Deer
Verline Texture



Oro Beige
Verline Texture



Oro Crust
Verline Texture



Oro Sand
Verline Texture

Random-04



Oro Deer



Oro Beige



Oro Crust



Oro Sand



Fresco Rizon Collection | 200x200mm

CHARACTERISTICS	Requirement as per ISO 13006:2018 Gr Bla E < 0.5%	Requirement as per IS 15622:2017 Gr Bla E < 0.08%	AGL VALUE	TEST METHOD
-----------------	---	---	-----------	-------------

(A) DIMENSION & SURFACE QUALITY

Deviation In Length & Width	± 0.3%	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Deviation In Thickness	± 5.0%	± 5.0%	± 0.3%	ISO 10545 Part-2 IS 13630 Part-1
Straightness of Edge	± 0.3%	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Rectangularity	± 0.3%	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Surface Flatness	± 0.4%	± 0.5%	± 0.2%	ISO 10545 Part-2 IS 13630 Part-1
Surface Quality	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	Min. 95% of Tiles shall be free from visible defects that would impair the appearance of a major area of the tiles	ISO 10545 Part-2 IS 13630 Part-1
Glossiness	-	-	> 85	Glossmeter

(B) PHYSICAL & THERMAL PROPERTIES

Water Absorption % By Wt.	≤ 0.5, Ind. 0.6 Max.	≤ 0.08, Ind. 0.1 Max.	< 0.08%	ISO 10545 Part-3 IS 13630 Part-2
Flexural Strength (MOR) In N/mm ²	Avr. 35, Ind. Min. 32	Avr. 35, Ind. Min. 32	Min.40 N/mm ²	ISO 10545 Part-4 IS 13630 Part-6
Breaking Strength in N	1300 N Min.	1300 N Min.	Min.1300N	ISO 10545 Part-4 IS 13630 Part-6
Bulk Density (gm/cc)	2.0 Min.	2.2 Min.	Min. 2.25	ISO 10545 Part-3 IS 13630 Part-2
Impact Resistance	> 0.40	> 0.55	> 0.55	ISO 10545 Part-5 IS 13630 Part-14
Resistance to Surface Abrasion	As per Manufacturer	PEI II Min.	Glossy PEI II Min. Sicura PEI III Min.	ISO 10545 Part-7 IS 13630 Part-11
Co-efficient of Linear Thermal Expansion from ambient temp to 100°C (K ⁻¹)	9x10 ⁻⁶ Max.	6x10 ⁻⁶ Max.	≤ 6x10 ⁻⁶	ISO 10545 Part-8 IS 13630 Part-4
Thermal Shock Resistance	10 Cycles Min.	10 Cycles Min.	No Damage after 10 Cycles	ISO 10545 Part-9 IS 13630 Part-5
Moisture Expansion in mm/M	Test Method Available	0.02 Max.	Max 0.2 mm/m	ISO 10545 Part-10 IS 13630 Part-3
Crazing Resistance	Required	4 Cycles at 7.5 bar Min.	6 Cycle	ISO 10545 Part-11 IS 13630 Part-9
Frost Resistance	Resistance	Resistance	Resistance	ISO 10545 Part-12 IS 13630 Part-10
Moh'S Scratch Hardness	Min. 5	Min. 5	Glossy EN 101 Sicura Min.8	IS 13630 Part-13

(C) CHEMICAL PROPERTIES

Resistance To Household Chemicals	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Resistance To Acids & Alkalis (Except HF Acid)	No Damage	Min. Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Stain Resistance	Min. Class 3	Min. Class 1	Resistance	ISO 10545 Part-14 IS 13630 Part-8

Packing Specification

Size (mm)	Thickness (mm)	No. of Tiles / Set	Area Sq. mtr. / Sq. ft. Per Box
600x1200mm	8.5mm	02 pcs.	1.44 m ² / 15.5 Sq. ft.

Characteristics	Verdict	Requirement as per IS 15622:2017 Gr Bla E ≤ 0.08%	AGL Value	Test Method
-----------------	---------	---	-----------	-------------

(A) DIMENSION & SURFACE QUALITY

Deviation In Length & Width	PASSED	± 0.1%	± 0.1%	IS 13630 Part-1
Deviation In Thickness	PASSED	± 5.0%	± 3.0%	
Straightness of Edge	PASSED	± 0.1%	± 0.1%	
Rectangularity	PASSED	± 0.1%	± 0.1%	
Surface Flatness	PASSED	± 0.5%	± 0.20%	
Surface Quality	PASSED	Min 95% free from visible defects	> 95% free from visible defects	

(B) PHYSICAL & THERMAL PROPERTIES

Water Absorption % By Wt.	PASSED	0.08 <E ≤ 3%	< 3.0%	IS 13630 Part-2
Flexural Strength (MOR) In N/mm ²	PASSED	Avr.30 N/MM ² Ind 27 N/MM ²	>27N/MM ²	IS 13630 Part-6
Breaking Strength in N	PASSED	Min 1100 N	>1200 N	IS 13630 Part-6
Bulk Density (gm/cc)	PASSED	Min. 2.0	>2.0	IS 13630 Part-2
Impact Resistance	PASSED	0.55 Min	0.55	IS 13630 Part-14
Resistance to Surface Abrasion	PASSED	Class II Min.	Class III Min.	IS 13630 Part-7
Thermal Shock Resistance	PASSED	10 Cycles Min.	Passed 10 Cycles	IS 13630 Part-5
Moisture Expansion in mm/M	PASSED	0.02MM/M	Nil	IS 13630 Part-3
Crazing Resistance	PASSED	4 Cycles at 7.5 bar Min.	Passed The Test	IS 13630 Part-9
Frost Resistance	PASSED	Resistance	Resistance	IS 13630 Part-10
Mohs Scratch Hardness	PASSED	Min. 5	Min. 5	IS 13630 Part-13

(C) CHEMICAL PROPERTIES

Resistance To Household Chemicals	PASSED	Min. Class AA	Class AA	IS 13630 Part-8
Resistance To Acids & Alkalis (Except HF Acid)	PASSED	Min. Class AA	Class AA	
Stain Resistance	PASSED	Min. Class 1	Class - 1	



Kindly note that variations in colour and size are natural characteristics of vitrified tiles, resulting from the random design concept and vitrification process. These should not be regarded as manufacturing defects. It is highly recommended to inspect actual tile samples prior to making a final selection. A 2 mm gap must be maintained during installation, and a dry mock installation is advised to ensure precision. Post-installation claims will not be accepted. Catalogue or Digital visuals, product sizes, and colours are indicative and subject to change without prior notice. We take pride in being part of your space and are dedicated to your lasting satisfaction.

DEGREE OF COLOUR CHANGE


HIGH SHADE AND TEXTURE VARIATION WITHIN EACH CARTON



HANDLING

- To prevent breakage, we recommended to keep all Format Tiles in their original packaging during handling.
- Tiles measuring 60x120cm or less can be handled by hand.
- To handle 60x120cm and above Format Tiles, we recommend to use lifting tools with a sufficient load capacity.
- The use of forklift is recommended; however, it has to be equipped with following fork details:


- It is recommended that you handle the Frame individually.
- Use right tools, lifting system for handling
- For big projects, use specified fork lifts



CUTTING

- When cutting all Format Tiles, we recommend to use professional dry cutters. Using other tools may lead to uneven cuts or breakage of the material.

- It is recommended to use CD Diamond zero chipping blades check the cutter blade before any cut.
- A damaged blade increases the risk of damage.



BLACKROUND / BASE / SCREED

- Prepare a screed with a perfectly flat, dry, compact, dust-free surface, with no cracks or other visible damage. The ideal height difference should be no more than 2 mm, measured using a 2 m spirit level.
- In case of slightly cracked or non-solid screed, it is recommended to use as crack preventing mat between substrate & slab. Screed should have suitable

- hardness and mechanical resistance to stresses due to the final uses. It should be prepared using perimeter bands & all structural expansion joints as necessary.
- It should be according to BS 8204-1-2003 or DIN 18560 standards.



LAYING WITH ADHESIVES

- We recommend laying with this technique, which should be carried out by suitably qualified workers with appropriate equipment.
- While choosing the adhesive, we recommend you to bear in mind the following: type of Large Format Tiles (group to which they belong and size), type of surface to be tiled and intended use of room.
- Adhesive should be applied on the floor as well as on backside (back-buttering) of tiles with 3-4 mm thickness.
- To make corrections, we recommend you to check the material before the adhesive dries.
- Adhesive will vary depending on the surface so follow manufacturer recommendation. Cementitious Adhesive (C2 Category - C2TES1), type-2, type-3 are commonly recommended for toles upto 120x180cm
- Apply the adhesive onto the back of the slab with a 3 mm trowel and should be well distributed on corners & edges.

- It must be spread over in one direction only. Ideally it should be spread towards shortest direction of the tile.
- Spread the adhesive for one tile (pc) onto the floor substrate using a 8mm to 10mm U/V-notch trowel and following the same direction as previously applied to the back of the slab. Adhesive should have 100% contact with tiles/substrate to avoid hollow sounding.
- It is recommended to use vibrators.
- This will help in spreading adhesive evenly across the tile.
- Vibrator must be started from the centre of the slabs and then move towards the edges.
- Tap the slab with a rubber mallet for a complete fixing ensuring the air is expelled.
- It is recommended to handle tiles / slabs with appropriate equipment.



JOINTS

- Deciding where to position the joints is also a part of the work which should be entrusted to qualified workers.
- The joints must be positioned:
 - On structural connections (structural joints)
 - Between the wall and the floor (perimeter joints)
 - Between one tile and another (laying joints or gaps)
 - Between tiles and other materials (e.g. pairings between ceramic, linoleum, or wood).

- A minimum of 2/3mm joint spacer is suggested for all sizes.
- For Large Format Tiles, a 2 mm joint is strongly recommended, as well as proper positioning of spacers on floor sides.



USE OF TILE LEVELLING SYSTEM DURING THE INSTALLATION

- For optimum surface performances, it is strongly recommended to use a tile levelling system.

- This solution also acts as a spacer for joints, thus contributing to make the installation more accurate.



GROUTING

- We recommend you to use grout with the same colour as the product.
- We recommend you to wait for the adhesive to dry completely before grouting the joints.
- We also advise you to ensure there is no adhesive or dust in the joints.
- Apply the grout using rubber trowel.
- Both cement & epoxy grout can be used. It is not recommended to use grouting with coloured pigments in contrast with colour of tiles.
- We recommend you to grout no more than 4-5 square metres of tiling at a time. This applies in particular when laying textured, non-slip and polished tiles.
- Grouting must be done within 1 week time after tiling is finished.

- You are advised to remove all excess grout from the tile surface while the grout is still wet, working in diagonal movements. This applies in particular to tiles laid in outdoor areas.
- Use a damp sponge and perfectly clean water to thoroughly clean the entire tiled surface and the joints.
- We then recommend that you dry the surface with a damp cloth.
- Considering how quickly epoxy grouts set, if these are used, we recommend you to clean the excess grout immediately within 15-20 minutes of grouting work done the tile grout line must be cleaned with a sponge and diluted shampoo water.
- On the day after grouting, you should give the laid tiles a second cleaning with alkaline detergents.



CLEANING AFTER LAYING

- Thorough initial cleaning is essential to ensure the tiles a long-lasting appearance over time. It should not be carried out until at least 4 to 5 days after laying and grouting but no later than 10 days afterwards.
- For washing, we advise you to use 6 to 12 PH value tile cleaner only However, we advise against the use of products containing hydrofluoric acid or derivatives thereof.

- When you start washing, it is worthwhile soaking the tiled surface first of all, focussing in particular on the joints. The tile cleaner must be left to work for no more than two minutes and must never be left to dry.
- Use non abrasive brush is advise to clean the surface.
- In the event that machines are used, we suggest that you finish off the job by hand in the harder to reach spots, such as the corners of the walls.
- Do not ever use any strong acids or the cheaper derivatives.



ORDINARY CLEANING AND CARE OF SURFACES

- For ordinary cleaning, simply wash with warm water and cloths and/or soft sponges. If necessary, neutral detergents can also be used. If you have non-neutral detergents, remember to test their effects on a piece of an unlaid tile or on a hidden part of the tiled surface.
- Abrasive cleaners should not be used on glossy and/or polished tiles; this kind of detergent can be used on tiles with matt surfaces though: in the event, you should still test the effects on a piece of an unlaid tile or on a hidden part of the tiled surface.
- We also advise against the use of soaps, waxes, or rinse aids.

- To remove traces of grease or oil on the surfaces, we suggest you use detergents with organic or alkaline solvents (pH> 9), rinsing properly at the end.
- In large areas, appropriate industrial washer-dryers can be used, taking care to finish off drying by hand where necessary.
- Abrasive tools (such as metal pads or rigid brushes) should not be used on tiled surfaces.
- After installation of the floor, it should be properly covered with suitable material in order to prevent tiles from damage or scratches because of on-site processing. It is also important not to drag heavy objects across the surface to avoid scratches.

Where Surface MEETS RESPONSIBILITY



Asian Granito India Limited Achieves **GreenPro** Certification from CII, Reinforcing Its Position in Green Building Materials

- GreenPro Certification covers AGL's key product categories including **Wall Tiles, Porcelain Body Tiles, Full Body Vitrified Tiles, Glazed Vitrified Tiles, Dual Sink-double Digital Tiles, Double Charged Vitrified Tiles and Soluble Salt Tiles**
- Recognition underscores AGL's focus on environmentally responsible manufacturing and sustainable standards
- Supports the growing demand for certified green materials in India's construction sector

GreenPro certification, developed by the Confederation of Indian Industry, is one of India's most trusted eco-labels, recognising products that meet stringent environmental and sustainability standards across their life cycle. This certification reinforces AGL's long-standing commitment to responsible growth, supported by ISO 14001-certified manufacturing practices, collaboration with green building councils like IGBC, and continuous investment in energy efficiency, water conservation, and waste reduction. Receiving the GreenPro certification strengthens AGL's role in promoting sustainable construction, aligns with global ESG priorities, and supports the construction industry's growing preference for certified green materials in both commercial and residential projects.



SCAN CODE TO
DOWNLOAD
CERTIFICATE


NOTES & RECOMMENDATION

NOTES

- All Technical Specifications in This Catalogue are for Premium Grade Material only.
 - SHADE/SIZE VARIATION are inherent characteristics to ceramics. Certain products purposely have variations which are part of design & process. The same have been indicated.
 - It is recommended to blend tiles by mixing tiles from various boxes & check for natural hue before fixing the tiles.
 - It is recommended to check the tiles before laying/fixing. Quality standards cover 1st/Premium Quality only.
 - Company's liability is limited on material that has not been laid.
 - NO COMPLAINT SHALL BE ENTERTAINED ON TILES ALREADY FIXED/LAID.
 - The liability is also limited to the material supplied by the company; no other claim is entertained under any circumstances.
 - No complaint is entertained on decoration done on tiles, other than the ones done by Asian Granito India Ltd.
- GENERAL NOTE : Any complaint must be brought to the company's notice within 10 days of purchase & before fixing of tiles.

How to avoid defects & complaints :

- Use good quality Tiles
- Choose good quality Tiles, with proper consideration to area intended of usage.
- Avoid careless laying of Tiles
- Avoid poor maintenance-for instance, by cleaning with strong Chemicals or with abrasive equipment e.g. metallic scrubber
- Always keep Tiled area clean & ensure dusting/mopping regularly
- Put Doormats/Foot-mats at all strategic locations to avoid loose debris/dust from entering the Tiled area



List of Detergents For Removal of Stain

STAIN (Created By)	Beer	Blood	Calcar	Cement	Cigarette	Soft Drinks	Coffee	Edible Oil	Glue	Ice Cream	Ink	Juices	Marker Ink	Nicotine	Paints	Resin	Rust	Tar	Tea	Turmeric	Wine
SOLVENTS (Turpentine, acetone, trichloroety - line etc.)								•	•		•		•			•			•		
SODIUM HYPO (Chlorite (NaOCL))												•								•	
ACIDS DILUTED (Hydrochloric acid*)			•	•	•						•			•	•		•			•	
ALKALI (Sodium hydroxide/potassium hydroxide)	•	•				•	•			•											•

*Commercial grade shall not be used

DISCLAIMER : Asian Granito India Ltd. reserves the right to delete & amend either totally or partially, any of the colors, shapes, sizes, references and other technical specifications contained in this catalogue at anytime. The colors shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of sizes, colors, references should be verified for typographical errors. All complaints need to be reported within 10 days of purchase. Always follow instructions to avoid complaint due to bad masonry.

CORPORATE OFFICE & BRANCHES



DISPLAY CENTRE & OFFICE

GUJARAT

Display Centre - Ahmedabad

AGL Luxury Tile Arcade

S.G. Highway, Nr. Gota Cross Road,
Beside Gota over bridge, Ahmedabad - 382481.

Mobile: 98258 03713 / 99099 29920

E-mail: asianworld.amd@aglasiangranito.com

AGL Export House - Morbi

Ch-5, Eden Ceramic City,
Opp.Honest Hotel, National Highway,
Lalpar Road, Morbi - 363642.

Mobile: 99799 90591

E-mail: exportmorbi@aglasiangranito.com

AGL Showroom

Future Ceramic Private Limited

Nr. Adicon Ceramica Tiles Pvt, Survey No. 84P1,
84P2, 85/1, 85/2P1, 85/2P2, B/h Harikrupa
Papers LLP, 8-A NH, At Post Gala, Morbi - 363642.

Mobile: 93166 32661

E-mail: display@futureceramic.co.in

Factory Display Centre - Morbi

(Sanitaryware & Faucets)

AGL Sanitaryware Pvt. Ltd.

Survey No. 153 P1, 153 P2, 154 P2, 8A National
Highway, B/h. Bahadurgadh Bus Stand,
At. Bahadurgadh, Morbi - 363642.

Mobile: 93166 32908

E-mail: export34@aglasiangranito.com

MAHARASHTRA

AGL Display Centre - Mumbai

A- 402, Citi Point, Nr. kohinoor Hotel,
Opp. ICICI Bank, J.B. Nagar,

Chakala Metro Station, Andheri (East),

Mumbai - 400 059. Mobile: 93214 95229

E-mail: mumbaishowroom@aglasiangranito.com

AGL Display Centre - Mumbai

(Marblex & Grestek)

Gala Impecca, Gr. Floor, Mathuradas Vasanji Rd,
Next to Courtyard Marriott, J. B. Nagar,

Kurla - Andheri Road, Andheri (East) - 400059.

Mobile : 76000 98595

AGL Display Centre - Pune

Capital Square, 1st & 2nd floor, Plot No. 5,
Opp. Kataria High School, Industrial Estate,

Mukund Nagar, Pune - 411037.

Mobile : 93717 65505

TELANGANA

AGL Display Centre - Hyderabad

202 2nd Floor & 302 3rd Floor, Kurve Elite,
Plot No. 58, Phase-1, Kamala Puri Colony Main Rd,
Opp. Krishe Meadows, Hyderabad - 500073.

Mobile: 99099 90434, 96420 11146

E-mail: hydshowroom1@aglasiangranito.com,
hydshowroom@aglasiangranito.com

TAMILNADU

AGL Display Centre - Chennai

Bascon Futura SV IT Park, 2nd Floor, 56-L,
Venkatanarayana Rd, Parthasarathi Puram,
T. Nagar, Chennai - 600017.

Mobile: 98408 47193

KARNATAKA

AGL Display Centre - Bangalore

Asian Granito India Ltd., Region Office

No. 37/17, 31/18, Brahmananda Court, Opp.

R Kannada News Channel, S.R. Nagar,

Lalbagh main road, Bangalore - 560027.

Mobile: 81605 21204

E-mail: bangloreshowroom@aglasiangranito.com

KERALA

AGL Display Centre - Kochi

No.51/2910 D2 Adjacent To Bread World,

Thykooodam Bridge Service Road,

Vyttila, Kochi - 682019.

Mobile: 78618 09641

E-mail: cochinshowroom@aglasiangranito.com

WEST BENGAL

AGL Display Centre - Kolkata

5th Floor, Office No. 5A, PS SOLARIS Building,

113/H, Opp. Flaming Hospital. Matheswartala Rd.

Topsia, Kolkata - 700046.

Mobile: 85840 65565

E-mail: kolkattashowroom@aglasiangranito.com

UTTAR PRADESH

AGL Display Centre - Noida

F-15, Ground Floor, Sector 8,

Gautam Buddha Nagar,

Noida - 201301.

Mobile: 85111 30500

E-mail: noidashowroom@aglasiangranito.com

OFFICE

GUJARAT

Corp. Office - Ahmedabad

ASIAN GRANITO INDIA LTD.

202, Dev Arc, Opp. Iskcon Temple,
S. G. Highway, Ahmedabad - 380 015.

Phone: +91 79 66125500/698

Toll Free: 1800 123 3455

E-mail: info@aglasiangranito.com

AGL Office - Morbi

B - 26, Parshwanath Complex-1

Opp. kuber Cinema, 8-A National Highway,

Lalpar Road, Morbi - 363642.

Mobile: 9825802077

E-mail: aglmorbi@aglasiangranito.com

RAJASTHAN

AGL Office - Jaipur

Lower Ground, D-5, Vaishali Nagar,

Jaipur - 302021.

Mobile: 70734 84069

MADHYA PRADESH

AGL Office - Indore

3rd Floor, Plot No 101, WB Scheme No. 94,

Sector - B, Opp. HDFC Bank,

Nr. Bombay Hospital, Indore - 452010.

Mobile: 99092 62533 / 73140 06670

E-mail: acctsindore@aglasiangranito.com

TAMIL NADU

AGL Office - Trichy

Mark Diamond Residency, No-36,

V O C Road, Cantonment, Trichy - 620001.

Mobile: 99406 00262

PUNJAB

AGL Office - Chandigarh

CCC Chandigarh City Centre, Block A

3rd Floor, Soho 325, Vip Road, Near Metro

Zirakpur, Chandigarh - 140603.

Mobile : 93163 13880, 99882 22471





Asian Granito India Ltd.

Regd. & Corp. Office

202, Dev Arc, Opp. Iskcon Temple, S.G. Highway,
Ahmedabad - 380 015, Gujarat, INDIA

Phone: +91 79 66125500/698 | CIN: L17110GJ1995PLC027025

E-mail : info@aglasiangranito.com | Web : www.aglasiangranito.com

Follow Us:    



1800 123 3455
Toll-free: Mon-Sat 10am-6pm

ONE SCAN AWAY TO EXPLORE MORE ABOUT US



SCAN CODE TO
DOWNLOAD
AGL TILES APP



SCAN CODE TO
DOWNLOAD
CATALOGUE



SCAN TO FIND
EXCLUSIVE
STORE